

Bittercress, Hairy

[*Cardamine hirsuta* L.]



DESCRIPTION

Hairy bittercress is a winter or summer annual weed (depending on location). Stems can be 3-9 inches long, and the leaves are mostly on the lower portion of the stem in a basal rosette. Leaf margins are deeply lobed. Leaves at the base of the plant are larger than the leaves at the top of the plant. Small hairs can be found at the base of the leaf as well as on the top of the leaf surface. Flowers are small and white. Small round fruits (capsules) develop at the ends of each branch.

Characteristic	Description
Growth Season	summer annual or winter annual weed
Growth Habit	upright or rosette
Leaflet Number	2 - 4 pairs of leaflets arranged alternately
Leaf Margin	shallowly toothed or with a few lobes
Leaf Hairs	upper/lower surface
Leaf/Leaflet Shape	heart/kidney/spade
Leaf Width	<1/2 - 1 inch
Leaf Venation	pinnate
Leaf Arrangement	alternate
Root Type	fibrous
Flower Color	white



hairy bittercress leaves



hairy bittercress leaves

Note: Still not sure this is the right weed? [The Turf & Weed Identification Decision Aid](#) may help. Check the TurfFiles [glossary](#) for definitions of unfamiliar terms.

CULTURAL CONTROL

Winter annual broadleaf weeds germinate in the fall or winter and grow during any warm weather, which may occur in the winter, but otherwise remain somewhat dormant during the winter. They resume growth and produce seed in the spring and die as temperatures increase in late spring and early summer. They quickly invade thin turf areas especially where there is good soil moisture. Shade may also encourage growth. Many have a prostrate growth habit and are not affected by mowing. A dense, vigorous turf is the best way to reduce the encroachment of winter annual weeds. First, select adapted turfgrass cultivars for your area and then properly fertilize, mow, and water to encourage dense growth.

CHEMICAL CONTROL

Hairy bittercress is easily controlled postemergence in the fall or spring with two, three, or four way broadleaf herbicides.

Postemergence herbicides:

Herbicide	Tolerant Turfs ⁽¹⁾	Average Efficacy Rating ⁽²⁾	Range of Trial Efficacy Values, %	Number of Trials	Products ⁽³⁾
2,4-D & carfentrazone & dicamba & mecoprop	ba, bc, be, bk, f, r, z	E	100	1	Speed Zone, Speed Zone Southern
2,4-D & triclopyr*	bk, f, r	E	100	1	Chaser
dicamba & MCPA & triclopyr	ba, bc, be, bk, f, r, z	E	100	1	Cool Power, Horsepower
triclopyr	f, r	E	100	1	Turflon Ester

* For use only by or under the supervision of a certified applicator, or by commercial nursery, turf, and landscape personnel.

Footnotes:

(1) *Turfgrass Codes:*

ba	bahiagrass
bc	bentgrass, creeping
be	bermudagrass
bk	bluegrass, Kentucky
c	centipedegrass
f	fescue, tall
r	ryegrass, perennial
sa	St. Augustinegrass
z	zoysiagrass
blank	No turfgrass in the database is completely tolerant. Check label to see if chemical can be used at a reduced rate or during the dormant season on your turfgrass.

(2) *Efficacy Ratings:*

E	excellent control (90 to 100%)
G	good control (80 to 90%)
F	fair control (70 to 80%)

Efficacy ratings are based on herbicide trials performed by weed scientists at North Carolina State University between 1997 and 2007. The number of trials included in the efficacy ratings is displayed in the next-to-last column. The higher this number, the more confidence can be placed in the efficacy

values. Trials may have involved sequential applications of one or more chemical. Details of individual trials (herbicide rates, dates of application, environmental conditions at time of application, etc) can be viewed on the TurfFiles web site, through the [Turf Weed Management Decision Aid](#).

Efficacy ratings for chemicals lacking trial data are from "[Pest Management Strategic Plan for Turfgrass in the Southern United States](#)," a summary of a workshop for turf experts from multiple universities held in Griffin, GA in October, 2004. The workshop was sponsored by the Southern Region Integrated Pest Management Center.

- (3) Recommendations of specific chemicals are based upon information on the manufacturer's label and performance in a limited number of trials. Because environmental conditions and methods of application may vary widely, performance of the chemical will not always conform to the safety and pest control standards indicated by experimental data. The order in which brand names are given is not an indication of a recommendation or criticism.

Recommendations for the use of agricultural chemicals are included in this publication as a convenience to the reader. The use of brand names and any mention or listing of commercial products or services does not imply endorsement by North Carolina State University or discrimination against similar products or services not mentioned. Other brand names may be labeled for use on turfgrasses. Individuals who use agricultural chemicals are responsible for ensuring that the intended use complies with current regulations and conforms to the product label. Be sure to obtain current information about usage regulations and examine a current product label before applying any chemical. For assistance, contact your county's Cooperative Extension agent.

Links contained in this document:

Glossary: <http://www.turffiles.ncsu.edu/Glossary.aspx>

Pest Management Strategic Plan: <http://www.ipmcenters.org/pmsp/pdf/SouthernTurfgrass.pdf>

Turf & Weed Identification Decision Aid: <http://www.turffiles.ncsu.edu/turfid/>

Turf Weed Management Decision Aid: <http://www.turffiles.ncsu.edu/turfweedmgmt/>

© North Carolina State University. This information sheet was prepared by Fred Yelverton, Bridget R. Lassiter, Gail G. Wilkerson, Leon Warren, Travis Gannon, Jenifer J. Reynolds, and Gregory S. Buol. Department of Crop Science, College of Agriculture & Life Sciences, North Carolina State University. Prepared March 30, 2008. Available on-line at www.turffiles.ncsu.edu. This publication was made possible through a grant provided by the Center for Turfgrass Environmental Research & Education (CENTERE) whose purpose is to support worthwhile projects that will benefit both the private sector and the public, and protect the environment.